

# SUBJECT INDEX

## A

Acid cupola slags and some relationships with melting conditions	527-539
Acid electric furnace roof, Advantages of insulating an	593-594
Agar gels in plaster-bonded investment	347-351
Air furnace bottom temperature, Correlation of, to refractory and operating practice in a cupola-air furnace duplex system	479-489
Air furnace, Construction and operation of coal-fired	634-639
Air furnace design and operation	516-522
Air pollution and public relations	662-663
Air pollution control equipment for melting operations	467-478
Air-set strength and dry properties vs squeeze pressure	496
Albany sand, Geology of	435
Aluminum alloy molding sand	432
Aluminum alloys, Centrifugal casting of	744-762
Aluminum-4% copper alloys, Effect of casting "fiber" on mechanical properties of	664-673
Annealability of malleable iron	107-130
Annealing gray iron for:	
machinability	5, 651-653
stress relief	5
Annealing of malleable iron, Influence of furnace atmosphere on	291-301
As-cast stress, Magnitude of initial	648
Aspiration of air in straight sprues	91
Atmosphere, Influence of furnace, on the annealing of malleable iron	291-301
Atmosphere, melting furnace, Effects of, on casting properties and annealability of malleable iron	107-130
Atmospheric pollution:	
codes	467
defined	467
Austenite formation, Mode of	428

## B

Baking oil-bonded cores, Induced flow process of	279-290
Balling up of molding sand	433
Base sand, Effect of, in shell molding	21
Basic cupola:	
melting	52-60
operation, Phosphorus removal in	546-551
water-cooled	58, 59
Basic-lined cupolas	4
Bentonite and fireclay, Use of, in molding	436
Binders and mold materials, Effect of, on macro-gas porosity in 85-5-5-5 bronze	330
Binders, Control tests for shell molding	368
Blast furnace linings	640
Bleed tests, Opinions on	604
Brinell hardness test	659
Brittle fracture, Metallurgical aspects of	246
Brittle fracture of cast and rolled steels	243-262
Bronze:	
A study of segregation in, using a radioactive technique	352-354
Spherical type macro-gas porosity in 85-5-5-5	327-346
Bulge tests	250

## C

Camber in large castings	41-42
Carbon as a refractory	640-642
Carbon equivalent and chill test depth of gray cast irons	387-393
Cast iron:	
Ductile, Prediction of mechanical properties from chemical composition for fully-annealed	510-515

Cast iron (Cont.):	
Flame hardening of	657-661
Heat treatment of	643-661
Metallurgy	3, 658
Stress relief heat treatment of	646-650
Casting design	38
Cement, Use of, in molding	436
Centrifugal casting:	
aluminum alloys	744-762
defined	702
Engineering aspects of	701-718
non-ferrous metals	711
range of solidification	754
True	702
Centrifuged castings	716
Centrifuging defined	702
Charcoal, Use of, in molding	436
Chemistry of core drying	280
Chill size, Effect of	616
Chill test depth and carbon equivalent of gray cast irons	387-393
Chills, Effect of	688
Chills, Use of, to increase feeding distances	74-76
Chvorinov's rule of heat transfer	686
Clay balls, How to reduce	434
Coal, Fineness of	519
Coal, Volatile matter in	519
Coal-fired air furnaces, Construction and operation of	634-639
Codes, Atmospheric pollution	467
Coke size, Effect of	537
Coke, Types of, for 24-in. cupola	531
Cold melt iron	126
Combination system, Sand reclamation with	222-227
Combustion control in air furnace	638
Contour patching of cupola	380
Control tests for shell molding binders	368
Controlling costs, Use of standards in	457-466
Conveyor molding standards	263-271
Copper-base alloy molding sands	432
Core:	
Bonding principles of oil and water in a green	279
classification	357
department costs	525
department, Layout of mechanized	36
drying, Chemistry of	280
drying, Thermodynamics in	280
finishing, Standard data tables for	355-366
mixtures	150
Cores:	
Baked and hot properties of	151
Induced flow process of baking oil-bonded	279-290
in shell molding	15-16
Sand, for semi-permanent mold work	505
Veining tendencies of	150-155
Cost control for indirect operators, Wage incentive for	561-569
Cost system, A simplified, for small jobbing foundries	600-602
Costs, Are your, reliable?	523-526
Costs, Use of standards in controlling	457-466
"C" process	7-28
Crack propagation tests	253
Crankcase sealer as a pattern coating	580
Croning, Johannes and the "C" process	7
Crystallographic orientation	671
Cupola:	
Acid, slags	527-539
applications of carbon as a refractory	640
dust collecting systems	731-732
fume collection equipment	469-473
lining, Gun placed silica	378-386
operation, Basic, Phosphorus removal in	546-551

Cupola (Cont.):	
slag control . . . . .	527
Cupola-air furnace duplex system . . . . .	479-489
Curing time, Effect of, in shell molding . . . . .	20
Cylinders, Solidification of . . . . .	142-149

## D

Definitions:	
Atmospheric pollution . . . . .	467
Centrifugal casting . . . . .	702
Centrifuging . . . . .	702
Fluidity . . . . .	399
Indirect work . . . . .	561
Pyrometric cone equivalent, P. C. E. . . . .	733
Reclaimed sand . . . . .	196
Reconditioned sand . . . . .	196
Semi-centrifugal casting . . . . .	702
Sound . . . . .	699
Work units . . . . .	562
Deformation of green molding sand . . . . .	159-165
Deformation test . . . . .	159
Degassifiers and deoxidizers, Effect of, on macro-gas porosity in 85-5-5-5 bronze . . . . .	337
Densifiers, Use of, in gray iron practice . . . . .	46, 47
Density of centrifugal castings . . . . .	760
Design considerations for permanent mold castings . . . . .	506
Design of castings . . . . .	38
Design of patterns . . . . .	38, 39
Desulfurization of gray iron in basic cupola operation . . . . .	52
Dimensional tolerance in shell molding . . . . .	14
Direct labor costs . . . . .	458
Dry reclamation of molding sand for steel castings . . . . .	200-205
Dry mulling plus aeration of sand . . . . .	193
Drying of molds . . . . .	46, 47
Ductile cast iron:	
Hardening characteristics of induction heated . . . . .	422-431
Prediction of mechanical properties from chemical composition for fully-annealed . . . . .	510-515
Duplex iron . . . . .	126
Duplexing furnace, Layout of a . . . . .	480
Dust collecting systems, Trends in cupola . . . . .	731-732
Dust control trends . . . . .	394-398

## E

Educational program for foundries . . . . .	5
Efficiency, Noise effects on work and . . . . .	695
Electric furnace roof, Advantages of insulating an acid . . . . .	593-594
Electric furnaces, Refractories for indirect-arc, for non-ferrous melting . . . . .	733-743
Endothermic and exothermic oxidation . . . . .	111
Epoxy resins used in shell molding . . . . .	8, 9
Equipment for shell molding . . . . .	9
Eutectic modification, Effects of magnesium on, and graphitization of certain Fe-C alloys . . . . .	674-677
Evaluation of resins for shell molding . . . . .	8
Exothermic and endothermic oxidation . . . . .	111
Expansion test data on sand mixtures . . . . .	96

## F

Feed metal flow, Characteristics of . . . . .	68
Feeding of gray iron . . . . .	44
Feeding range and riser adequacy . . . . .	61-80
Feeding range of joined sections . . . . .	76-79, 302-308
"Fiber," Effect of casting, on mechanical properties of aluminum-4% copper alloys . . . . .	664-673
Fineness of coal . . . . .	519
Finger-gate systems . . . . .	446, 447
Finish, Casting surface, Effect of sand flowability on . . . . .	574-579
Finishing department costs . . . . .	525
Flame hardening of cast iron . . . . .	657-661
Flow, metal, in gating system, Velocities and volume rates of . . . . .	439-450
Flowability of sand . . . . .	156-158
Flowability, sand, Effect of, on casting surface finish . . . . .	574-579
Flowability test . . . . .	157
Fluidity:	
defined . . . . .	399
of malleable iron and furnace atmosphere . . . . .	113

## Fluidity (Cont.):

Slag . . . . .	534
test pieces . . . . .	400-404
testing of molten metals . . . . .	399-410
Foundry characteristics of magnesium alloy ZK61 . . . . .	726
Foundry Industry, Outstanding opportunities for the . . . . .	1-6
Foundry noise and its control . . . . .	694-700
Fracture, Brittle:	
at high temperature . . . . .	255
Mechanical aspect of . . . . .	244
Metallurgical aspects of . . . . .	246
of cast and rolled steels . . . . .	243-262
Fracture types . . . . .	244, 669
Freezing mechanism, Factors influencing . . . . .	610
French molding sand . . . . .	435
Fundamental concepts of sand reclamation . . . . .	192
Furnace, Air, design and operation . . . . .	516-522
Furnace atmosphere:	
and fluidity of malleable iron . . . . .	113
and mottling tendency in malleable iron . . . . .	112
Influence of, on annealing of malleable iron . . . . .	291-301
melting, Effects of, on casting properties and annealability of malleable iron . . . . .	107-130
Furnace gases, Typical data on . . . . .	470
Furnace, Refractories for indirect-arc electric, for non-ferrous melting . . . . .	733-743
Furnace roof, Advantages of insulating an acid electric . . . . .	593-594

## G

Gases, Typical data on furnace . . . . .	470
Gating:	
and feeding centrifuged castings . . . . .	745
and heading for shell molding . . . . .	12-14
of gray iron castings . . . . .	42, 43
Principles of ratio . . . . .	623-627
systems, Velocities and volume rates of metal flow in to control pouring rate . . . . .	439-450
vertical . . . . .	416-421
German process of centrifugal casting . . . . .	81-95
Glossary of sound terminology . . . . .	705
Gradient conditions required for feeding to soundness . . . . .	699
Grain size of centrifugal castings . . . . .	72
Graphite formation characteristics . . . . .	756
Graphite formation, Slow cooling effect on . . . . .	643
Graphitic nickel alloy castings, Properties of . . . . .	644
Graphitization, Effects of magnesium on eutectic modification and, of certain Fe-C alloys . . . . .	552-560
Graphitization in the malleable iron industry . . . . .	674-677
Gray iron:	
Annealing for machinability . . . . .	228-242
Elements in . . . . .	5, 651-653
feeding . . . . .	132
Gating of . . . . .	44
Hardening, with minimum distortion . . . . .	42, 43
Heat treatment of . . . . .	654-656
Low-sulphur . . . . .	643-661
Martempering . . . . .	3
pouring rate . . . . .	5
practice, Effect of head pressure in . . . . .	43
practice, Gases in . . . . .	45
Relation of chill test depth and carbon equivalent of . . . . .	132-135
Rising of . . . . .	387-393
Stress relief heat treatment for . . . . .	131-141
Use of denseners in . . . . .	5, 646-650
Green hardness vs ramming pressure in molding . . . . .	46, 47
Green molding sand, Deformation of . . . . .	490
Green properties of reclaimed sand . . . . .	159-165
Green properties vs squeeze pressure in molding . . . . .	215
Gun placed silica cupola lining . . . . .	493
Gun tubes, Manufacture of . . . . .	378-386
	703

## H

Hardening characteristics of induction heated ductile iron . . . . .	422-431
Hardening, Flame, of cast iron . . . . .	657-661
Hardening gray cast iron with minimum distortion . . . . .	654-656
Hardness testing . . . . .	659
Head pressure, in gray iron practice . . . . .	45

Heat flow in sand . . . . .	456
Heat transfer . . . . .	603-622
Heat treatment of gray cast iron . . . . .	5, 643-661
Heat treatment of ZK61 magnesium alloy . . . . .	721
Hexamethylenetetramine resin used in shell molding . . . . .	8
Hot compressive strength of sand mixtures . . . . .	98-101
Hot cure test for sand-resin mixtures . . . . .	184
Hot deformation vs squeeze pressure in molding . . . . .	497
Hot rigidity test for sand-resin mixtures . . . . .	185
Hot strength vs squeeze pressure in molding . . . . .	497
Hot tearing:	
Analogy of mechanics of . . . . .	181
film stage concept . . . . .	180
Influence of molding materials on . . . . .	167-183
of malleable iron . . . . .	115-119, 128
Strain theory of . . . . .	181

## I

Incentive, Basis for supervisory . . . . .	562
Indirect labor . . . . .	459
Procedure for applying indirect . . . . .	562
system, Effect of good . . . . .	457
Wage, for cost and production control for in- . . . . .	561-569
direct operators . . . . .	
Indirect-arc electric furnaces, Refractories for, for . . . . .	733-743
non-ferrous melting . . . . .	
Indirect labor incentives . . . . .	459
Indirect work defined . . . . .	561
Induced flow process of baking oil-bonded cores . . . . .	279-290
Induction furnace, gas-atmosphere, for melting titanium . . . . .	540
Induction heated ductile iron, Hardening characteris- . . . . .	
tics of . . . . .	422-431
Inhibitor evaluation (for shell molds) . . . . .	185
Insulating an acid electric furnace roof, Advantages of . . . . .	593-594
Insulators, Effect of . . . . .	688
Internal stresses, Nature of . . . . .	647
Investment, Agar gels in plaster-bonded . . . . .	347-351
Isothermal transformation . . . . .	423, 654

## J

Jobbing foundries, A simplified cost system for small . . . . .	600-602
---	---------

## L

Lining, Gun placed silica cupola . . . . .	378-386
Low-sulphur gray iron . . . . .	3
Lucite, Preparation of . . . . .	94

## M

Machinability, Annealing iron castings for . . . . .	651-653
Machinability of gray iron, Annealing for . . . . .	5
Machine tool castings, Efficient methods of production . . . . .	
of . . . . .	29-51
Macro-gas porosity in 85-5-5-5 bronze . . . . .	327-346
Magnesium alloy permanent mold and semi-permanent . . . . .	
mold castings . . . . .	502-509
Magnesium casting alloy ZK61:	
Characteristics of high strength . . . . .	719-728
Effect of rare earth additions on . . . . .	723
Foundry characteristics of . . . . .	726
Heat treatment of . . . . .	721
Magnesium, Casting, in shell molds . . . . .	184-190
Magnesium, Effects of, on eutectic modification and . . . . .	
graphitization of certain Fe-C alloys . . . . .	674-677
Magnesium sand casting alloys containing thorium . . . . .	315-326
Magnesium, shell cast, Metallurgy of . . . . .	187
Malleable, Heavy-section . . . . .	3
Malleable iron:	
Annealability of . . . . .	119-128
Cause of pearlitic rim in . . . . .	299
industry, Graphitization in . . . . .	228-242
Effects of melting furnace atmosphere on casting . . . . .	
properties and annealability of . . . . .	107-130
Hot tearing of . . . . .	115-119, 128
Influence of furnace atmosphere on annealing of . . . . .	291-301
Manganese content in . . . . .	111
Pearlitic, Development of . . . . .	3
Silicon content in . . . . .	110
Malleable shop, Multiple molding in a . . . . .	628-633
Malleabilizing heat treatment . . . . .	120

Manganese in malleable iron . . . . .	111
Martempering gray iron . . . . .	5
Mechanics of shell molding process . . . . .	9
Mechanization in shell molding . . . . .	16-17
Mechanization, Mechanics of foundry . . . . .	272-278
Mechanized core department, Layout of . . . . .	36
Melamine-formaldehyde resin used in shell molding . . . . .	8, 9
Melamine-urea-formaldehyde resins used in shell molding . . . . .	8
Melting department costs . . . . .	523
Melting furnace atmosphere, Effects of, on casting prop- . . . . .	
erties and annealability of malleable iron . . . . .	107-130
Melting gray iron . . . . .	48-51
Melting operations, Air pollution equipment for . . . . .	467-478
Melting practice, Effect of, on macro-gas porosity in . . . . .	
85-5-5-5 bronze . . . . .	328
Melting, Refractories for indirect-arc electric furnaces . . . . .	
for non-ferrous . . . . .	733-743
Metal flow in gating systems, Velocities and volume . . . . .	
rates of . . . . .	439-450
Metallurgical bases for a titanium castings industry . . . . .	678-685
Metallurgy of cast iron . . . . .	3, 658
Metallurgy of shell cast magnesium . . . . .	187
Metallurgy and shell molding . . . . .	18, 19
Methods, Efficient, of production of machine tool . . . . .	
castings . . . . .	29-51
Methods engineering increases efficiency . . . . .	5
Micro-chemistry in the foundry industry . . . . .	4
Microstructure of cast titanium-carbon alloys . . . . .	413-414
Microstructure of centrifugally-cast tubes . . . . .	709
Microstructure of nodular iron . . . . .	424
Mold closing in shell molding . . . . .	15
Mold coating, Effect of, on macro-gas porosity in 85-5-5-5 . . . . .	335
Mold for titanium casting . . . . .	589
Mold materials, Evaluation of, for titanium castings . . . . .	540-545
Mold materials for titanium casting . . . . .	679
Mold variables . . . . .	615
Mold department costs . . . . .	524
Mold materials, Influence of, on hot tearing . . . . .	167-183
Molding mixture for shell molding, Tests for . . . . .	166, 370-374
Molding, Multiple, in a malleable shop . . . . .	628-633
Molding sand, Deformation of green . . . . .	159-165
Molding sand mixtures for non-ferrous casting . . . . .	436-437
Molding sands, Non-ferrous . . . . .	432-438
Molding sands, Ramming of . . . . .	490-501
Molding standards, Conveyor . . . . .	263-271
Molds, plugs and stool inserts . . . . .	640
Molten metals, Fluidity testing of . . . . .	399-410
Monolithic patches for cupola . . . . .	384
Mottling tendency in malleable iron and furnace at- . . . . .	
mosphere . . . . .	112, 127
Mullite-type refractories . . . . .	735
Multiple molding in a malleable shop . . . . .	628-633

## N

Natural sands . . . . .	433
Nickel alloy castings, Properties of graphitic . . . . .	552-560
Nodular iron:	
in basic cupola . . . . .	55
Research in . . . . .	3
Noise:	
effects on work and efficiency . . . . .	695
Foundry, and its control . . . . .	694-700
levels, Permissible . . . . .	695
Non-ferrous:	
casting, Molding sand mixtures for . . . . .	436, 437
melting, Refractories for indirect-arc electric fur- . . . . .	
naces for . . . . .	733-743
metals, Centrifugal casting of . . . . .	711
molding sands . . . . .	432-438

## O

Oil-bonded cores, Induced flow process of baking . . . . .	279-290
"One-purpose sand," Feasibility of . . . . .	434

## P

Parting agents used in shell molding, Evaluation of . . . . .	9
Pattern coating:	
Guide to choosing . . . . .	585
Research in, produces quality castings . . . . .	580-586
Pattern design . . . . .	38, 39

Pattern equipment for shell molding . . . . .	11-12, 729-730
Patterns for shell molding . . . . .	595-599
Pearlitic malleable, Development of . . . . .	3
Pearlitic rim in malleable iron, Cause of . . . . .	299
Permanent mold and semi-permanent mold castings, Magnesium alloy . . . . .	502-509
Permanent mold casting design considerations . . . . .	506
Permanent mold magnesium castings:	
Inserts for . . . . .	505
Section thickness of . . . . .	505
Size and weight of . . . . .	505
Permanent mold tolerances . . . . .	506
Permeability of shell molds . . . . .	14
Permeability test for sand-resin mixtures . . . . .	185
Phenol-formaldehyde resin used in shell molding . . . . .	8
Phosphorus removal:	
by oxidation in basic cupola melting . . . . .	52
in basic cupola operation . . . . .	546-551
Pitch, Use of, in molding . . . . .	436
Plaster-bonded investment, Agar gels in . . . . .	347-351
Pneumatic method of sand reclamation . . . . .	195
Polytetrafluoroethylene as a parting agent in shell molding . . . . .	9
Porosity, Macro-gas, in 85-5-5-5 bronze . . . . .	327-346
Pouring basin for centrifugal casting . . . . .	747
Pouring directly down the sprue . . . . .	91
Pouring rate as affected by:	
Sprue cups . . . . .	416
Sprue post diameter . . . . .	417
Sprue post length . . . . .	417
Runner area . . . . .	418
Runner chokes . . . . .	419
Ladle height . . . . .	419
Skim cores . . . . .	421
Pouring rate, Gating to control . . . . .	416-421
Pouring rate of gray iron . . . . .	43
Protective equipment . . . . .	571
Pyrometric cone equivalent, P.C.E., defined . . . . .	733

## R

Radioactive technique, A study of segregation in bronze using a . . . . .	352-354
Ramming of molding sands . . . . .	490-501
Rare earth additions, Effect of, on magnesium alloy ZK61 . . . . .	723
Ratio gating, Principles of . . . . .	623-627
Reclaimed sand:	
Cost of . . . . .	227
defined . . . . .	196
Green properties of . . . . .	215
Surface of . . . . .	215
Reclamation:	
A wet method of sand . . . . .	206-210
Dry, of molding sand for steel castings . . . . .	200-205
methods of sand, Past . . . . .	193
of foundry sand . . . . .	191-227
of sand by pneumatic dry scrubbing . . . . .	196-199
Reclamation, Sand:	
Benefits of . . . . .	222
Fundamental concepts of . . . . .	192
in a steel foundry . . . . .	211-221
with the combination system . . . . .	222-227
Reclamation units operating precautions . . . . .	219
Reconditioned sand defined . . . . .	196
Reconditioning of sand . . . . .	193
Refractories, Attack of, by slag . . . . .	734
Refractories of indirect-arc electric furnaces for non-ferrous melting . . . . .	733-743
Refractories, Spalling of . . . . .	734
Refractories testing . . . . .	733
Refractory and operating practice in a cupola-air furnace duplex system . . . . .	479-489
Refractory, Carbon as a . . . . .	640-642
Refractory composition control . . . . .	379
Refractory lining, Installation of . . . . .	735
Refractory lining, Zircon as a . . . . .	739
Refractory linings, new, Drying . . . . .	738
Refractory maintenance in basic cupola operation . . . . .	54
Refractory selection factors . . . . .	733
Relaxation allowances . . . . .	357
Resin properties and characteristics . . . . .	369
Resins and sands for shell molding . . . . .	367-377
Resins, Evaluation of, for shell molding . . . . .	8

Resins, Phenolic, in shell molding process . . . . .	1
Resins, sand-conditioning, Function of . . . . .	1
Resins used in shell molding . . . . .	8
Retained strength vs squeeze pressure in molding . . . . .	498
Riemann temperature, Computation and significance of . . . . .	147
Riser adequacy and feeding range . . . . .	61-80
Riser behavior, Fundamentals of . . . . .	688-693
Riser dimensioning . . . . .	66
Riser equation . . . . .	687
Riser, Function of . . . . .	61, 133
Risening of gray iron castings . . . . .	131-141
Risers, Top-blind, on steel castings . . . . .	687, 688
Rockwell hardness test . . . . .	659

## S

Safety, Plant, in shell molding . . . . .	18
Safety program, Positive benefits of a . . . . .	570-573
Sand coating characteristics . . . . .	198
Sand control . . . . .	39-41
Sand flowability . . . . .	156
Effect of, on casting surface finish . . . . .	574-579
Sand for shell molding . . . . .	376
Sand mixture, All purpose . . . . .	197
Sand mixture, Factors involved in making a . . . . .	309-314
Sand, reclaimed, green properties of . . . . .	215
Sand, reclaimed, Surface of . . . . .	215
Sand reclamation:	
A wet method of . . . . .	206-210
Dry, of molding sand for steel castings . . . . .	200-205
Fundamental concept of . . . . .	192
in a steel foundry . . . . .	211-221
with the combination system . . . . .	222-227
Sand reconditioning . . . . .	193
Sand-resin mixtures, Tests for . . . . .	184
Sand toughness, STN . . . . .	163
Sands and resins for shell molding . . . . .	367-377
Sands, Non-ferrous molding . . . . .	432-438
Sand, Ramming of molding . . . . .	490-501
Sands, steel, Properties of, at elevated temperatures . . . . .	96-106
Scabbing tendency of sand mixtures . . . . .	104
Scleroscope hardness test . . . . .	659
Sections, Feeding range of joined . . . . .	302-308
Segregation in bronze, A study of, using a radioactive technique . . . . .	352-354
Segregation of non-metallics in centrifugal casting . . . . .	708
Semi-centrifugal casting . . . . .	715
Semi-centrifugal casting defined . . . . .	702
Semi-permanent and permanent mold castings, Magnesium alloy . . . . .	502-509
Semi-synthetic sands . . . . .	433
Shell cast magnesium, Metallurgy of . . . . .	187
Shell core breakdown evaluation . . . . .	187
Shell molding:	
Applications and economics of . . . . .	23
binders, Control tests for . . . . .	368
Comparison of mechanical properties . . . . .	21, 22
Cores in . . . . .	15, 16
Dimensional tolerance in . . . . .	14
Effect of base sand in . . . . .	21
Effect of curing time in . . . . .	20
Effect of shell thickness in . . . . .	19
Equipment for . . . . .	9
Evaluation of resins for . . . . .	8
Gating and heading for . . . . .	12-14
materials testing . . . . .	166
Mechanics of . . . . .	9
Mechanization in . . . . .	16, 17
Method of casting production . . . . .	7-28
Mold closing in . . . . .	15
Parting agents used in . . . . .	9
Pattern equipment for . . . . .	11-12, 595-599, 729-730
Plant safety in . . . . .	18
process . . . . .	1-3
Raw materials used in . . . . .	8
Resin-sand blending for . . . . .	11
Resins and sands for . . . . .	367-377
Shell molds, Casting magnesium alloys in . . . . .	184-190
Shell molds, Permeability of . . . . .	14
Shell thickness, Effect of, in shell molding . . . . .	19
Shellac as a pattern coating . . . . .	580

Silica flour, Use of, in shell molding . . . . .	8
Silicon carbide, Use of, in molding . . . . .	436
Silicon content in malleable iron . . . . .	110
Silicone as a parting agent in shell molding . . . . .	9
Sillimanite-type refractories . . . . .	735
"Skull" melting of titanium . . . . .	678
Slag basicity in basic cupola operation . . . . .	55
Slag composition and appearance in basic cupola operation . . . . .	56
Slag control . . . . .	379
Slag fluidity, Some causes and effects . . . . .	534
Solidification:	
at corner and core positions . . . . .	451-456
curves explain feeding . . . . .	610
factors related to risering . . . . .	610
of cylinders . . . . .	142-149
of steel . . . . .	62
time of castings . . . . .	611
Spalling of refractories . . . . .	734
Sprue design for centrifugal casting . . . . .	746
Sprue designs in vertical gating permanent molds . . . . .	82
Sprue-runner systems . . . . .	441
Sprue size, Effect of, on turbulence . . . . .	91
Straight sprues, Aspiration of air in . . . . .	91
Standard data tables for core finishing . . . . .	355-366
Standards, Conveyor molding . . . . .	263-271
Standards, Use of, in controlling costs . . . . .	457-466
Steel castings, Dry reclamation of molding sand for . . . . .	200-205
Steel foundry, Sand reclamation in a . . . . .	211-221
Steel sands, Properties of, at elevated temperatures . . . . .	96-106
Steel, Solidification of . . . . .	62
Strain theory of hot tearing . . . . .	181
Stress due to uneven cooling . . . . .	651
Stress in chilled structure . . . . .	651
Stress relief annealing of gray iron . . . . .	5
Stress relief heat treatment of gray cast iron . . . . .	646-650
Stresses, internal, Nature of . . . . .	647
Stress-strain and expansion tests on sand mixtures . . . . .	96
Strickle setting in pit mold . . . . .	42
Superheat, Effect of . . . . .	689
Surface finish, Effect of sand flowability on casting . . . . .	574-579
Surface of reclaimed sand . . . . .	215
Surface smoothness of permanent mold magnesium castings . . . . .	505
Synthetic sands . . . . .	432

## T

Temperature measurement . . . . .	407
Temperature, Method of measuring . . . . .	481
Tempering process . . . . .	644
Thermal methods of sand reclamation . . . . .	193, 194
Thermal studies . . . . .	441
Thermodynamics in core drying . . . . .	280
Thermodynamics of chemical reactions . . . . .	112
Thorium, Magnesium sand casting containing . . . . .	315-326

Time keeping procedure . . . . .	563
Time studies, taking . . . . .	356
Titanium, A technique for casting . . . . .	587-592
Titanium alloy types . . . . .	679
Titanium-carbon alloys, Mechanical properties of cast . . . . .	411-415
Titanium castings industry, Metallurgical bases for . . . . .	678-685
Titanium castings:	
Evaluation of mold materials for . . . . .	540-545
Mechanical properties of . . . . .	683, 684
Mold materials for . . . . .	679
Shrinkage characteristics of . . . . .	683
Soundness of . . . . .	682
Surface of . . . . .	683
Titanium, Hardness of cast . . . . .	679
Titanium sponge . . . . .	588
Transverse strength test for sand-resin mixtures . . . . .	185
Turbulence, Effect of sprue size on . . . . .	91
Twin structure, Mode of growth . . . . .	671

## U

Urea-formaldehyde resin used in shell molding . . . . .	8, 9
---	------

## V

Veining tendencies of cores . . . . .	150-155
Velocities and volume rates of metal flow in gating systems . . . . .	439-450
Venting centrifugal casting molds . . . . .	752
Vertical gating . . . . .	81-95

## W

Wage incentive for cost and production control for indirect operators . . . . .	561-569
Water-cooled basic cupolas . . . . .	58, 59
Watertown process of centrifugal casting . . . . .	703
Wear tests . . . . .	559
Wet method of sand reclamation . . . . .	194, 206-210
White iron structure . . . . .	124
Windsor Lock molding sand . . . . .	435
Wood flour or cellulose materials, Use of, in molding . . . . .	436
Work analysis . . . . .	356
Work units defined . . . . .	562

## X

X-ray unit, Flash . . . . .	441
-----------------------------	-----

## Z

Zinc, Effect of, on magnesium alloy ZK61 . . . . .	721
Zircon as a refractory lining . . . . .	739
Zircon flour, Use of, in shell molding . . . . .	8
Zirconium, Effect of, on magnesium alloy ZK61 . . . . .	719

# AUTHOR INDEX

ADAMS, C. M., REYNOLDS, C. C. and TAYLOR, H. F.—Prediction of Mechanical Properties from Chemical Composition for Fully-Annealed Ductile Cast Iron	510
ADAMS, JR., C. M. and TAYLOR, H. F.—Fundamentals of Riser Behavior	686
ADAMS, C. M., WALTHER, W. D. and TAYLOR, H. F.—Effect of Casting "Fiber" on Mechanical Properties of Aluminum-4 Per Cent Copper Alloys	664
AFS Committee Reports—	
Veining Tendencies of Cores	150
Report of AFS Flowability Committee	156
Deformation of Green Molding Sand	159
Progress Report of Shell Molding Materials Testing Committee	166
AFS Research Reports—	
The Study of Vertical Gating	81
Twelfth Annual Report on the Investigation of Properties of Steel Sands at Elevated Temperatures	96
Factors of Melting Furnace Atmosphere on Casting Properties and Annealability of Malleable Iron	107
Rising of Gray Iron Castings	131
Solidification of Cylinders	142
AMES, B. N.—A Survey of the Shell Molding Method of Casting Production	7
ANDERSON, R. J.—Mechanics of Foundry Mechanization and Improved Methods	272
ARMSTRONG, A. A.—Hardening Gray Cast Iron with Minimum Distortion	654
ARNOLD, S. V., MALONE, R. F., CLARK, H. T., and FINLAY, W. L.—Preliminary Survey of Some Metallurgical Bases for a Titanium Castings Industry	678
BAKER, D. F. and WILLIAMS, D. C.—Factors Involved in Making a Sand Mixture	309
BARLOW, T. E. and HUMONT, P. D.—Gun Placed Silica Cupola Lining	378
BERG, C. J.—Research in Pattern Coating Produces Quality Castings	580
BISHOP, H. F., BRANDT, F. A. and PELLINI, W. S.—Solidification at Corner and Core Positions	451
BISHOP, H. F., JOHNSON, W. H. and PELLINI, W. S.—Velocities and Volume Rates of Metal Flow in Gating Systems	439
BISHOP, H. F., MYSKOWSKI, E. T. and PELLINI, W. S.—Feeding Range of Joined Sections	302
BOCK, W. K., SCHWARTZ, H. A. and HEDBERG, J. D.—Graphitization in the Malleable Iron Industry	228
BOLT, J. E. and JEFFERY, W. C.—Phosphorus Removal in Basic Cupola Operation	546
BRANDT, F. A., BISHOP, H. F. and PELLINI, W. S.—Solidification at Corner and Core Positions	451
BRANDT, F. A., PELLINI, W. S. and LAYNE, E. E.—Performance of Cast and Rolled Steels in Relation to the Problem of Brittle Fracture	243
BRYCE, J. T., HERNANDEZ, A. and ROTE, F. B.—Influence of Furnace Atmosphere on the Annealing of Malleable Iron	291
BUEG, O. C.—Pattern Equipment for Shell Molding	729
BUSBY, WM.—Use of Standards in Controlling Costs	457
CANNON, J. A.—Dry Reclamation of Molding Sand for Steel Castings	200
CAPLAN, K. J.—Trends in Dust Control—Past, Present and Future	394
CARLSON, R. and CARTER, S. F.—Acid Cupola Slags and Some Relationships with Melting Conditions	527
CARTER, S. F.—American Experiences with Basic Cupola Melting	52
CARTER, S. F. and CARLSON, R.—Acid Cupola Slags and Some Relationships with Melting Conditions	527
CLARK, H. T., MALONE, R. F., ARNOLD, S. V. and FINLAY, W. L.—Preliminary Survey of Some Metallurgical Bases for a Titanium Castings Industry	678
CONGER, G. A.—Progress Report of Shell Molding Materials Testing Committee	166
CURTIS, G. H.—Sand Reclamation with the Combination System	222
DEMMLER, A. W.—Annealing Iron Castings for Machinability	651
DIETERT, H. W. and GRAHAM, A. L.—Ramming of Molding Sands	490
DIETL, M. G.—Refractories for Indirect-Arc Electric Furnace for Non-Ferrous Melting	733
DRUMM, M. F.—Resins and Sands for Shell Molding	367
EASH, J. T. and LEE, G. L.—Properties of Graphitic Nickel Alloy Castings	552
EDELMAN, R. E. and SIMMONS, O. W.—Mechanical Properties of Cast Titanium-Carbon Alloys	411
FAIRFIELD, H. H. and MCCONACHIE, J.—Effect of Sand Flowability on Casting Surface Finish	574
FINLAY, W. L., MALONE, R. F., CLARK, H. T. and ARNOLD, S. V.—Preliminary Survey of Some Metallurgical Bases for a Titanium Castings Industry	678
FISHER, G. A., JOHNSON, H. H. and MCCLEERY, R. Y.—Sand Reclamation in a Steel Foundry	211
FISCHER, R. B.—Some Factors Affecting Spherical Type Macro-Gas Porosity in 85-5-5-5 Bronze	327
FLOWABILITY COMMITTEE—Report of AFS Flowability Committee	156
GANTZ, JR., M. E., GINGERICH, E. M. and WOODS, R. T.—Magnesium Alloy Permanent Mold and Semi-Permanent Mold Castings	502
GINGERICH, E. M., GANTZ, JR., M. E. and WOODS, R. T.—Magnesium Alloy Permanent Mold and Semi-Permanent Mold Castings	502
GRAHAM, A. L. and DIETERT, H. W.—Ramming of Molding Sands	490
GRUBE, K., KURA, J. G. and JACKSON, J. H.—The Study of Vertical Gating	81
HATFIELD, M. R., WILDE, R. J. and NOLAN, V. J.—Carbon As A Refractory	640
HEDBERG, J. D., SCHWARTZ, H. A. and BOCK, W. K.—Graphitization in the Malleable Iron Industry	228
HEINE, R. W. and LANGE, E. A.—Effects of Melting Furnace Atmosphere on Casting Properties and Annealability of Malleable Iron	107
HEINE, R. W. and WEART, H. W.—Effects of Magnesium on Eutectic Modification and Graphitization of Certain Fe-C Alloys	674
HERNANDEZ, A., BRYCE, J. T. and ROTE, F. B.—Influence of Furnace Atmosphere on the Annealing of Malleable Iron	291
HUMONT, P. D. and BARLOW, T. E.—Gun Placed Silica Cupola Lining	378
JACKSON, J. H., GRUBE, K. and KURA, J. G.—The Study of Vertical Gating	81
JACKSON, J. H., KURA, J. G. and LANG, R. M.—Evaluation of Mold Materials for Titanium Castings	540
JACOBS, F. W. and LAWRENCE, J. S.—Correlation of Air Furnace Bottom Temperature to Refractory and Operating Practice in a Cupola-Air Furnace Duplex System	479
JEFFERY, W. C. and BOLT, J. E.—Phosphorus Removal in Basic Cupola Operation	546
JOHNSON, H. H., MCCLEERY, R. Y. and FISHER, G. A.—Sand Reclamation in a Steel Foundry	211
JOHNSON, W. H., BISHOP, R. Y. and PELLINI, W. S.—Velocities and Volume Rates of Metal Flow in Gating Systems	439

KANE, J. M.—Air Pollution and Public Relations	662
KROPKA, J. G.—Multiple Molding in a Malleable Shop	628
KRYNITSKY, A. I.—Progress Made in Fluidity Testing of Molten Metals During the Last Ten Years	399
KURA, J. G., GRUBE, K. and JACKSON, J. H.—The Study of Vertical Gating	81
KURA, J. G., LANG, R. M. and JACKSON, J. H.—Evaluation of Mold Materials for Titanium Castings	540
KYLE, P. E., THORPE, R. G., ROBINSON, H. and WISNIEWSKI, P. J.—Twelfth Annual Report on Investigation of Properties of Steel Sands at Elevated Temperatures	96
LABELLE, J. E.—Fundamentals of Heat Treatment of Gray Cast Iron	643
LANG, R. M., KURA, J. G. and JACKSON, J. H.—Evaluation of Mold Materials for Titanium Castings	540
LANGE, E. A. and HEINE, R. W.—Effects of Melting Furnace Atmosphere on Casting Properties and Annealability of Malleable Iron	107
LAWRENCE, J. S. and JACOBS, F. W.—Correlation of Air Furnace Bottom Temperature to Refractory and Operating Practice in a Cupola-Air Furnace Duplex System	479
LAYNE, E. E., PELLINI, W. S. and BRANDT, F. A.—Performance of Cast and Rolled Steels in Relation to the Problem of Brittle Fracture	243
LEE, G. L. and EASH, J. T.—Properties of Graphitic Nickel Alloy Castings	552
LEWIS, R. T.—Are Your Costs Reliable?	523
LIBSCH, J. F., ROWADY, E. P. and MURPHY, W. J.—Hardening Characteristics of Induction Heated Ductile Iron	422
LIPSON, S. and ROSENTHAL, H.—Agar Gels in Plaster-Bonded Investment	347
LORIA, E. A.—Trends for the Relation of Chill Test Depth and Carbon Equivalent of Gray Cast Irons	387
LUCAS, L. L.—Practical Foundry Applications of Principles of Ratio Gating	623
MALONE, R. F., CLARK, H. T., ARNOLD, S. V. and FINLAY, W. L.—Preliminary Survey of Some Metallurgical Bases for a Titanium Castings Industry	678
MAREK, C. T. and WIMBERT, R. J.—Induced Flow Process of Baking Oil-Bonded Cores	279
MARTIN, L. L.—Developing Standard Data Tables for Core Finishing	355
MCCLEERY, R. Y., JOHNSON, H. H. and FISHER, G. A.—Sand Reclamation in a Steel Foundry	211
MC CONACHIE, J. and FAIRFIELD, H. H.—Effect of Sand Flowability on Casting Surface Finish	574
MCCURDY, H. R. and SIMMONS, O. W.—A Technique for Casting Titanium	587
MCDONALD, F. J.—Gating to Control Pouring Rate and Its Effect on the Casting	416
MCDONNELL, R. W.—A Simplified Cost System for Small Jobbing Foundries	600
MEIER, J. W.—Characteristics of High Strength Magnesium Casting Alloy ZK61	719
MEIER, J. W. and RYLSKI, O. Z.—Centrifugal Casting of Aluminum Alloys	744
MEYER, H. W.—Reclamation of Sand by Pneumatic Dry Scrubbing	196
MIDDLETON, J. M.—The Influence of Molding Materials on the Incidence of Hot Tearing	167
MURPHY, W. J., ROWADY, E. P. and LIBSCH, J. F.—Hardening Characteristics of Induction Heated Ductile Iron	422
MYSKOWSKI, E. T., BISHOP, H. F. and PELLINI, W. S.—Feeding Range of Joined Sections	302
NELSON, K. E.—Magnesium Sand Casting Alloys Containing Thorium	315
NICHOLLS, G. W.—Efficient Methods of Production of Machine Tool Castings	29
NOLAN, V. J., WILDE, T. J. and HATFIELD, M. R.—Carbon As A Refractory	640
OLSON, R.—Patterns for Shell Molding	595
PARKER, W. G.—Deformation of Green Molding Sand	159
PASCHKIS, V.—Solidification of Cylinders	142
PELLINI, W. S.—Factors Which Determine Riser Adequacy and Feeding Range	61
PELLINI, W. S.—Practical Heat Transfer—An Interpretive Report	603
PELLINI, W. S., BRANDT, F. A. and BISHOP, H. F.—Solidification At Corner and Core Positions	451
PELLINI, W. S., BRANDT, F. A. and LAYNE, E. E.—Performance of Cast and Rolled Steels in Relation to the Problem of Brittle Fracture	243
PELLINI, W. S., JOHNSON, W. H. and BISHOP, H. F.—Velocities and Volume Rates of Metal Flow in Gating Systems	439
PELLINI, W. S., MYSKOWSKI, E. T. and BISHOP, H. F.—Feeding Range of Joined Sections	302
PRING, R. T.—Air Pollution Control Equipment for Melting Operations in the Foundry Industry	467
PRUET, C. J.—Wage Incentive for Cost and Production Control for Indirect Operators	561
REHDER, J. E.—Notes on Air Furnace Design and Operation	516
REID, E. C.—Conveyor Molding Standards	263
REYNOLDS, C. C., ADAMS, C. M. and TAYLOR, H. F.—Prediction of Mechanical Properties from Chemical Composition for Fully-Annealed Ductile Cast Iron	510
ROBECK, C. A. and SANDERS, C. A.—A General Look at Non-Ferrous Molding Sands	432
ROBINSON, H., THORPE, R. G., WISNIEWSKI, P. J. and KYLE, P. E.—Twelfth Annual Report on Investigation of Properties of Steel Sands at Elevated Temperatures	96
ROSENTHAL, H. and LIPSON, S.—Agar Gels in Plaster-Bonded Investment	347
ROTE, F. B., BRYCE, J. T. and HERNANDEZ, A.—Influence of Furnace Atmosphere on the Annealing of Malleable Iron	291
ROWADY, E. P., MURPHY, W. J. and LIBSCH, J. F.—Hardening Characteristics of Induction Heated Ductile Iron	422
RYLSKI, O. Z. and MEIER, J. W.—Centrifugal Casting of Aluminum Alloys	744
SANDERS, C. A. and ROBECK, C. A.—A General Look at Non-Ferrous Molding Sands	432
SCHAUM, J. H.—Stress Relief Heat Treatment of Gray Cast Iron	646
SCHMIDT, W. A. and TAYLOR, H. F.—Rising of Gray Iron Castings	131
SCHWARTZ, H. A., BOCK, W. K. and HEDBERG, J. D.—Graphitization in the Malleable Iron Industry	228
SCOTT, M. R.—Flame Hardening of Cast Iron	657
SEMPRAU, C. F.—Construction and Operation of Coal-Fired Air Furnaces	634
SHEPTAK, N.—Casting Magnesium Alloys in Shell Molds	184
SHIPLEY, F. W.—Positive Benefits of a Safety Program	570
SHURMER, R. H. and WILL, P. C.—A Wet Method of Sand Reclamation	206
SIMMONS, O. W. and EDELMAN, R. E.—Mechanical Properties of Cast Titanium-Carbon Alloys	411
SIMMONS, O. W. and MCCURDY, H. R.—A Technique for Casting Titanium	587
SMITH, J. H.—Outstanding Opportunities for the Foundry Industry	1
SMITH, K. M.—Trends in Cupola Dust Collecting Systems	731
SPENCER, C. C.—Advantages of Insulating an Acid Electric Furnace Roof	593
TAYLOR, H. F. and ADAMS, JR., C. M.—Fundamentals of Riser Behavior	686
TAYLOR, H. F. and SCHMIDT, W. A.—Rising of Gray Iron Castings	131

TAYLOR, H. F., REYNOLDS, C. C. and ADAMS, C. M.—Prediction of Mechanical Properties from Chemical Composition for Fully-Annealed Ductile Cast Iron	510
TAYLOR, H. F., WALTHER, W. D. and ADAMS, C. M.—Effect of Casting "Fiber" on Mechanical Properties of Aluminum-4 Per Cent Copper Alloys	664
THORPE, R. G., ROBINSON, H., WISNIEWSKI, P. J. and KYLE, P. E.—Twelfth Annual Report on Investigation of Properties of Steel Sands at Elevated Temperatures	96
WALLACE, J. F.—Engineering Aspects of Centrifugal Casting	701
WALTHER, W. D., ADAMS, C. M. and TAYLOR, H. F.—Effect of Casting "Fiber" on Mechanical Properties of Aluminum-4 Per Cent Copper Alloys	664
WALWORTH, H. T.—Foundry Noise and Its Control	694
WEART, H. W. and HEINE, R. W.—Effects of Magnesium on Eutectic Modification and Graphitization of Certain Fe-C Alloys	674
WENNINGER, C. E.—Development of Foundry Sand Reclamation	191
WILDE, T. J., HATFIELD, M. R. and NOLAN, V. J.—Carbon As A Refractory	640
WILL, P. C. and SHURMER, R. H.—A Wet Method of Sand Reclamation	206
WILLIAMS, D. C. and BAKER, D. F.—Factors Involved in Making a Sand Mixture	309
WIMMERT, R. J. and MAREK, C. T.—Induced Flow Process of Baking Oil-Bonded Cores	279
WINEGARD, W. C.—A Study of Segregation in Bronze Using A Radioactive Technique	352
WISNIEWSKI, P. J., THORPE, R. G., ROBINSON, H. and KYLE, P. E.—Twelfth Annual Report on Investigation of Properties of Steel Sands at Elevated Temperatures	96
WOODS, R. T., GANTZ, JR., M. E. and GINGERICH, E. M.—Magnesium Alloy Permanent Mold and Semi-Permanent Mold Castings	502

